






"ARGOLA"



LANCI ZA UPORABU U GOSPODARSTVU

VALJČASTI LANCI




- JEDNOREDNI



tip "E"

tip "L"




- DVOREDNI



tip "E"

tip "L"

- TROREDNI



tip "E"

tip "L"

VALJČASTI LANCI DIN 8187

- JEDNOREDNI

ISO Nr.	P	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
04B-1	6	—	2,8	4,0	1,85	4,1	7,4	10,3	5,0	0,08	3000	0,12
05B-1	8	—	3,0	5,0	2,31	4,77	8,6	11,7	7,1	0,11	5000	0,18
06B-1*	9,525	3/8	5,72	6,35	3,28	8,53	13,5	19,3	8,26	8,28	9100	0,41
08B-1	12,7	1/2	3,3	7,75	3,66	5,8	10,2	11,7	9,91	0,21	8200	0,29
08B-1	12,7	1/2	4,88	7,75	4,09	7,9	12,9	14,4	10,3	0,32	12000	0,42
08B-1	12,7	1/2	4,88	7,75	4,09	8,8	14,8	16,3	11,15	0,35	16000	0,6
08B-1	12,7	1/2	7,75	8,51	4,45	11,3	17,0	18,0	11,81	0,5	18200	0,7
10B-1	15,875	5/8	9,65	10,16	5,08	13,28	19,6	20,5	14,73	0,67	22700	0,95
12B-1**	19,05	3/4	11,68	12,07	5,72	15,62	22,7	23,5	16,13	0,89	29500	1,25
16B-1**	25,4	1	17,02	15,88	8,28	25,45	36,1	38,9	21,08	2,1	65000	2,7
20B-1**	31,75	1 1/4	19,56	19,05	10,19	29,01	43,2	46,3	26,42	2,95	95000	3,6
24B-1	38,1	1 1/2	25,4	25,4	14,63	37,92	53,4	58,0	33,4	5,54	170000	6,7
28B-1	44,45	1 3/4	30,99	27,94	15,95	46,58	65,1	69,5	37,08	7,4	200000	8,3
32B-1	50,8	2	30,99	29,21	17,81	45,57	67,4	73,4	42,29	8,11	260000	10,5
40B-1	63,5	2 1/2	38,1	39,37	22,89	55,75	82,6	92,1	52,96	12,76	360000	16,0
48B-1	76,2	3	45,72	48,26	29,24	70,56	99,1	122,6	63,88	20,63	600000	25,0
56B-1	88,9	3 1/2	53,34	53,98	34,32	81,33	114,6	139,7	77,85	27,91	850000	35,0
64B-1*	101,6	4	60,96	63,5	39,4	92,02	131,4	155,0	90,17	36,25	1120000	60,0
72B-1*	114,3	4 1/2	68,58	72,39	44,48	103,81	148,7	173,0	103,63	46,17	1370000	80,0

- DVOREDNI

ISO Nr.	P		b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
05B-2	8	—	3,0	5,0	2,31	4,77	13,9	17,4	7,11	5,64	0,22	8000	0,36
06B-2*	9,525	3/8	5,72	6,35	3,28	8,53	23,8	28,4	8,26	10,24	0,56	17300	0,78
08B-2	12,7	1/2	7,75	8,51	4,45	11,3	31,0	35,4	11,81	13,92	1,0	31800	1,35
10B-2	15,875	5/8	9,65	10,16	5,08	13,28	36,2	39,6	14,73	16,59	1,34	45400	1,85
12B-2	19,05	3/4	11,68	12,07	5,72	15,62	42,2	45,0	16,13	19,46	1,78	60000	2,5
16B-2**	25,4	1	17,02	15,88	8,28	25,45	68,0	74,6	21,08	31,88	4,21	110000	5,4
20B-2	31,75	1 1/4	19,56	19,05	10,19	29,01	79,7	84,7	26,42	36,45	5,91	180000	7,2
24B-2	38,1	1 1/2	25,4	25,4	14,63	37,92	101,8	111,12	33,4	48,36	11,09	324000	13,5
28B-2	44,45	1 3/4	30,99	27,94	15,95	46,58	124,7	134,0	37,08	59,56	14,81	381000	16,6
32B-2	50,8	2	30,99	29,21	17,81	45,57	126,0	134,7	42,29	58,55	16,23	495000	21,0
40B-2	63,5	2 1/2	38,1	39,37	22,89	55,75	154,9	168,1	52,96	72,29	25,52	680000	32,0
48B-2	76,2	3	45,72	48,26	29,24	70,56	190,4	209,7	63,88	91,21	41,26	1000000	50,0
56B-2	88,9	3 1/2	53,34	53,98	34,32	81,33	221,2	241,8	77,85	106,6	55,82	1660000	70,0
64B-2*	101,6	4	60,96	63,5	39,4	92,02	251,4	274,9	90,17	119,89	72,5	2180000	120,0
72B-2*	114,3	4 1/2	68,58	72,39	44,48	103,81	285,1	309,3	103,63	136,27	92,34	2730000	160,0

- TROREDNI

ISO Nr.	P		b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
06B-3*	9,525	3/8	5,72	6,35	3,28	8,53	34,0	39,3	8,26	10,24	9,83	25400	1,18
08B-3	12,7	1/2	7,75	8,51	4,45	11,3	44,9	48,4	11,81	13,92	1,5	45400	2,0
10B-3	15,875	5/8	9,65	10,16	5,08	13,28	52,8	56,2	14,73	16,59	2,02	68100	2,8
12B-3	19,05	3/4	11,68	12,07	5,72	15,62	61,7	64,4	16,13	19,46	2,68	88500	3,8
16B-3	25,4	1	17,02	15,88	8,28	25,45	99,9	106,5	21,08	31,88	6,32	165000	8,0
20B-3	31,75	1 1/4	19,56	19,05	10,19	29,01	116,1	121,2	26,42	36,45	8,86	270000	11,0
24B-3	38,1	1 1/2	25,4	25,4	14,63	37,92	150,2	159,42	33,4	48,36	16,64	485000	21,0
28B-3	44,45	1 3/4	30,99	27,94	15,95	46,58	184,3	193,6	37,08	59,56	22,21	571000	25,0
32B-3	50,8	2	30,99	29,21	17,81	45,57	184,5	192,2	42,29	58,55	24,34	743000	32,0
40B-3	63,5	2 1/2	38,1	39,37	22,89	55,75	227,2	240,6	52,96	72,29	38,28	1100000	48,0
48B-3	76,2	3	45,72	48,26	29,24	70,56	281,6	304,4	63,88	91,21	61,89	1700000	75,0
56B-3	88,9	3 1/2	53,34	53,98	34,32	81,33	330,0	349,7	77,85	106,6	83,73	2470000	105,0
64B-3*	101,6	4	60,96	63,5	39,4	92,02	371,4	394,8	90,17	119,89	108,75	3250000	180,0
72B-3*	114,3	4 1/2	68,58	72,39	44,48	103,81	421,6	445,5	103,63	136,27	138,5	4000000	240,0

VALJČASTI LANCI DIN 8188

- JEDNOREDNI

ISO Nr.	ASA-Nr.	P	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
06C-1***	ASA 35	9,525	4,68	5,08	3,58	7,47	13,2	16,5	9,05		0,27	9500	0,31
085-1	ASA 41	12,7	6,38	7,77	3,58	9,07	14,0	17,9	9,91		0,32	7000	0,38
08A-1	ASA 40	12,7	7,85	7,95	3,96	11,18	17,8	21,7	12,07		0,44	16800	0,61
10A-1	ASA 50	15,875	9,4	10,16	5,08	13,84	21,8	25,9	15,09		0,7	22500	1,01
12A-1	ASA 60	19,05	12,57	11,91	5,94	17,75	26,9	27,4	18,08		1,06	32000	1,58
—	ASA 60H	19,05	12,57	11,91	5,94	19,35	28,8	31,9	17,6		1,15	31800	1,97
16A-1	ASA 80	25,4	15,75	15,88	7,92	22,61	33,5	36,2	24,13		1,79	66000	2,36
20A-1	ASA 100	31,75	18,9	19,05	9,53	27,46	41,1	43,0	30,18		2,62	108000	3,8
24A-1	ASA 120	38,1	25,22	22,23	11,1	35,46	50,8	56,0	36,2		3,94	154000	5,4
28A-1	ASA 140	44,45	25,22	25,4	12,7	37,19	54,9	60,5	42,24		4,72	208000	7,3
32A-1	ASA 160	50,8	31,55	28,58	14,27	45,21	66,5	71,0	48,26		6,5	262000	9,9
...	ASA 180	57,15	35,7	35,72	17,45	50,0	65,84	85,0	54,36		8,75	362000	13,2
40A-1	ASA 200	63,5	37,85	39,68	19,84	54,89	80,3	86,0	60,33		10,9	430000	16,5
48A-1	ASA 240	76,2	47,35	47,63	23,8	67,89	59,5	106,0	72,39		16,1	590000	22,6


- DVOREDNI

ISO Nr.	ASA-Nr.	P	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
06C-2***	ASA 35-2	9,525	4,68	5,08	3,58	7,47	21,6	22,9	9,05	10,13	0,54	19000	0,67
08A-2	ASA 40-2	12,7	7,85	7,95	3,96	11,18	32,3	36,2	12,07	14,38	0,88	35000	1,19
10A-2	ASA 50-2	15,875	9,4	10,16	5,08	13,84	39,9	44,0	15,09	18,11	1,4	53000	1,7
12A-2	ASA 60-2	19,05	12,57	11,91	5,94	17,75	49,8	50,18	18,08	22,78	2,12	76000	3,14
16A-2	ASA 80-2	25,4	15,75	15,88	7,92	22,61	62,7	65,49	24,13	29,29	3,58	132000	4,9
20A-2	ASA 100-2	31,75	18,9	19,05	9,53	27,46	77,0	78,76	30,18	35,76	5,2	216000	7,6
24A-2	ASA 120-2	38,1	25,22	22,23	11,1	35,46	96,3	101,44	36,2	45,44	7,88	308000	10,8
28A-2	ASA 140-2	44,45	25,22	25,4	12,7	37,19	103,6	109,37	42,24	48,87	9,44	416000	14,3
32A-2	ASA 160-2	50,8	31,55	28,58	14,27	45,21	142,2	129,55	48,26	58,55	13,0	524000	19,4
...	ASA 180-2	57,15	35,7	35,72	17,45	50,0	138,5	155,5	54,36	65,84	17,5	724000	26,0
40A-2	ASA 200-2	63,5	37,85	39,68	19,84	54,89	151,9	157,55	60,33	71,55	21,8	860000	33,0
48A-2	ASA 240-2	76,2	47,35	47,63	22,8	67,89	183,4	193,9	72,39	87,83	32,2	1180000	44,0

- TROREDNI

ISO Nr.	ASA-Nr.	P	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂₂	g ₁	e	f	Fb	q
06C-3***	ASA 35-3	9,525	4,68	5,08	3,58	7,47	32,3	38,9	9,05	10,13	0,80	27000	1,01
08A-3	ASA 40-3	12,7	7,85	7,95	3,96	11,18	45,3	53,1	12,07	14,38	1,32	52000	1,80
10A-3	ASA 50-3	15,875	9,4	10,16	5,08	13,84	56,4	64,6	15,09	18,11	2,1	79500	3,0
12A-3	ASA 60-3	19,05	12,57	11,91	5,94	17,75	72,6	72,96	18,08	22,78	3,18	114000	4,7
16A-3	ASA 80-3	25,4	15,75	15,88	7,92	22,61	91,7	94,78	24,13	29,29	5,37	198000	7,5
20A-3	ASA 100-3	31,75	18,9	19,05	9,53	27,46	113,0	114,52	30,18	35,76	7,86	324000	11,2
24A-3	ASA 120-3	38,1	25,22	22,23	11,1	35,46	141,7	146,88	36,2	45,44	11,82	462000	16,1
28A-3	ASA 140-3	44,45	25,22	25,4	12,7	37,19	152,4	158,24	42,24	48,87	14,16	624000	21,4
32A-3	ASA 160-3	50,8	31,55	28,58	14,27	45,21	182,9	188,10	48,26	58,55	19,5	786000	28,1
...	ASA 180-3	57,15	35,7	35,72	17,45	50,0	204,5	221,5	54,36	65,84	26,3	1086000	38,6
40A-3	ASA 200-3	63,5	37,85	39,68	19,84	54,89	222,5	229,1	60,33	71,55	32,7	1290000	50,0
48A-3	ASA 240-3	76,2	47,35	47,63	22,8	67,89	271,3	293,2	72,39	87,83	48,3	1770000	66,0

JEDNOREDNI VALJČASTI LANCI










- PO TVORNIČKOJ NORMI


P	b ₁	d ₃	d ₁	b ₂	g ₁	l ₁	l ₂₂	f	Fb	q
12,7	4,88	7,75	3,6	7,2	9,9	10,9	13,7	0,28	8200	0,33
12,7	5,0	7,75	4,09	9,1	11,1	14,5	17,0	0,35	16000	0,59
12,7	5,2	7,75	4,09	9,12	11,15	15,2	18,8	0,39	16000	0,6
12,7	5,21	8,51	4,45	8,7	11,8	15,0	19,0	0,39	18200	0,62
12,7	6,4	7,75	3,97	9,55	11,5	15,4	19,3	0,38	13500	0,50
12,7	6,4	8,51	4,45	9,93	11,8	15,5	18,4	0,44	18200	0,67
15,875	6,48	10,16	5,08	10,08	14,8	16,0	19,5	0,51	23600	0,80
19,05	13,5	12,07	5,72	19,4	17,2	27,2	31,5	1,12	33500	1,57
19,05	11,68	12,07	6,1	17,23	18,0	24,9	28,5	1,05	40000	1,45
20,0	16,0	12,0	6,0	22,5	19,0	32,2	35,5	1,35	35500	2,0
25,4	12,7	12,7	7,0	19,07	19,4	27,8	32,8	1,34	47000	1,56
25,4	12,7	14,0	7,0	19,07	20,8	27,3	32,5	1,33	45000	1,74
25,4	12,7	15,88	8,28	21,07	20,8	30,9	37,0	1,74	63000	2,4
30,0	17,02	15,88	8,28	25,4	20,8	35,5	41,5	2,10	63000	2,33
31,75	17,02	15,88	8,28	25,4	24,0	36,0	42,7	2,1	65000	2,3
35,0	18,0	18,0	10,19	25,4	26,0	38,4	41,5	2,55	65000	2,9
35,0	19,06	19,05	10,19	27,0	26,0	40,0	46,1	2,1	85000	2,9
38,1	16,0	21,6	12,0	24,2	29,0	38,1	45,6	2,87	95000	3,7
40,0	20,1	21,6	12,0	28,5	31,0	41,6	47,8	3,42	120000	3,6
44,45	25,4	25,4	14,63	37,92	36,8	53,4	60,1	5,54	170000	6,91
50,0	25,4	25,4	14,63	38,0	40,0	53,4	60,1	5,55	180000	7,63
50,8	22,2	29,21	17,81	38,8	41,6	56,0	64,0	6,91	190000	9,65
57,15	34,3	34,3	20,0	53,0	48,0	74,3	85,2	10,6	340000	13,5
57,15	34,3	34,3	20,0	53,0	48,0	141,3	152,7	21,2	612000	26,5

- OD NEHRĐAJUČEG METALA

P	b ₁	d ₃	d ₁	b ₂	g ₁	l ₁	l ₂₂	f	Fb	q
8,0	3,0	5,0	2,31	4,80	7,2	8,0	10,0	0,11	4200	0,18
9,525	5,72	6,35	3,28	8,53	8,26	13,5	16,6	0,28	7100	0,43
12,7	7,75	8,51	4,45	11,3	11,8	17,1	20,9	0,5	12500	0,72
15,875	9,65	10,16	5,08	13,28	14,73	19,6	23,7	0,67	14500	0,95
19,05	11,68	12,07	5,72	15,62	16,2	22,3	27,3	0,89	18000	1,2
25,4	17,02	15,88	8,28	25,45	20,8	35,5	42,4	2,1	40000	2,7

PRIMJERI NOSIVIH ELEMENATA NA LANCU DIN 8187





DUGOČLANI VALJČASTI LANCI DIN 8181


ISO Nr. / ASA Nr.	p	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂	g	f	F _b	q
208B	25,4	7,75	8,51	4,55	11,3	17,0	19,8	11,81	0,5	18200	0,45
210B	31,75	9,65	10,16	5,08	13,28	19,6	22,7	14,73	0,67	23600	0,6
212B	38,1	11,68	12,07	5,72	15,62	22,7	25,6	16,13	0,89	29000	0,75
216B	50,8	17,02	15,88	8,28	25,45	36,1	41,4	21,08	2,1	63000	1,7
220B	63,5	19,56	19,05	10,19	29,01	43,2	47,3	26,42	2,95	95000	2,6
224B	76,2	25,4	25,4	14,63	37,92	53,4	64,2	33,41	5,54	170000	4,5
228B	88,9	30,99	27,94	15,9	46,58	66,0	75,4	37,08	7,4	200000	5,5
232B	101,6	30,99	29,21	17,81	45,57	66,0	76,5	42,29	8,11	235000	7,0
208A	25,4	7,95	7,95	3,96	11,2	16,5	24,3	12,07	0,44	1480	0,49
210A	31,75	9,53	10,16	5,08	13,8	20,4	28,6	15,09	0,7	25000	0,65
212A	38,1	12,7	11,91	5,94	19,50	26,0	35,2	18,08	1,05	35500	1,0
—	38,1	12,7	11,91	5,94	19,50	29,5	38,7	18,08	1,15	38000	1,26
216A	50,8	15,88	15,88	7,92	24,0	33,1	43,9	24,13	1,8	63000	1,73
—	50,8	15,88	15,88	7,92	24,0	36,5	47,3	24,13	1,9	66000	1,96
220A	63,5	19,05	19,05	9,53	29,0	39,9	52,1	30,18	2,6	108000	2,88
—	63,5	19,05	19,05	9,53	29,0	44,0	56,2	30,18	2,75	108000	3,3
224A	76,2	25,4	22,23	11,1	37,0	50,3	63,5	36,2	3,9	154000	4,3
—	76,2	25,4	22,23	11,1	37,0	54,0	67,2	33,2	4,1	154000	4,85

VALJČASTI LANCI POLJOPRIVREDNIH STROJEVA DIN 8189

ISO Nr. / ASA Nr.	p	b ₁	d ₃	d ₁	b ₂	l ₁	l ₂	g	f	F _b	q
S32	29,21	15,88	11,43	4,45	20,19	26,2	28,9	12,7	0,9	18000	0,82
S42	34,93	19,05	14,27	7,0	25,4	34,0	38,0	18,0	1,78	31500	1,49
S45	41,4	22,23	15,24	5,72	28,58	36,7	39,8	17,2	1,63	25000	1,55
S52	38,1	22,23	15,24	5,72	28,58	36,7	39,8	17,2	1,63	25000	1,58
S55	41,4	22,23	17,78	5,72	28,58	36,7	39,8	17,2	1,63	25000	1,8
S62	41,91	25,4	19,05	5,72	31,8	40,0	43,0	17,2	1,82	28000	1,95
S77	58,34	22,23	18,26	8,9	31,17	43,8	48,6	25,2	2,77	45000	2,35
S88	66,27	28,58	22,86	8,9	37,52	50,2	55,0	25,2	3,34	45000	2,78


GALLOVI LANCI

- DIN 8151



p	b ₁	d ₁	d ₇₁	g	s	l ₁	F _b	f	q
20	8	4	3	8	1,5	18	2500	0,09	0,26
25	12	5	4	12	2,0	25	5000	0,16	0,35
35	15	8	6	15	2,0	28	12500	0,24	0,69
40	18	10	8	18	3,0	36	25000	0,48	1,25
50	20	11	9	22	6,0	51	40000	1,08	2,76
60	22	12	10	26	6,0	53	60000	1,2	3,14
70	25	14	12	30	6,0	57	80000	1,44	3,31
80	30	17	14	35	6,0	62	100000	1,68	4,50



- DIN 8150



p	b ₁	d ₁	d ₇₁	g	s	l ₁	x	F _b	f	q
8	6	3,5	2,5	7	1,0	14	2	1500	0,05	0,25
10	8	4,0	3,0	8	1,5	18	2	2500	0,09	0,4
15	12	5,0	4,0	12	2,0	25	2	5000	0,16	0,70
20	15	8,0	6,0	15	2,0	28	2	12500	0,24	1,1
25	18	10,0	8,0	18	3,0	36	2	25000	0,48	1,75
30	20	11,0	9,0	20	3,0	51	4	40000	1,08	3,4
35	22	12,0	10,0	26	3,0	53	4	60000	1,2	4,5
40	25	14,0	12,0	30	3,0	57	4	80000	1,44	4,7
45	30	17,0	14,0	35	3,0	63	4	100000	1,68	6,4
50	35	22,0	18,0	38	4,5	88	4	150000	3,24	10,6
55	40	24,0	21,0	40	6,0	105	4	200000	5,04	15,5
60	45	26,0	23,0	45	6,0	113	4	250000	5,52	18,0
70**	50	32,0	28,0	55	6,0	145	6	375000	10,08	33,5
80**	60	36,0	32,0	60	6,0	155	6	500000	11,52	38,2
90**	70	40,0	36,0	70	7,0	182	6	750000	15,12	53,0
100**	80	45,0	40,0	80	7,0	223	8	1000000	22,95	76,7
110**	90	50,0	45,0	90	7,0	235	8	1250000	25,28	90,0
120**	100	55,0	50,0	100	8,0	261	8	1500000	32,0	112,0


** lanci sa ravnim spojnica

ROTARY LANAC



	p	b ₁	d ₃	d ₁	b ₂	g	s	l ₂₂	l ₅	l ₆	A/B	f	F _b	q
R0 3100	31,75	19,95	19,05	9,52	28,0	30,1	4,0	47,0	2,4	20,0	A	2,62	109000	4,0
R0 3120	38,1	25,4	22,23	11,11	35,4	35,7	4,8	61,4	31,0	27,0	A	3,94	154000	6,0
R0 3141a	42,01	25,4	22,23	9,53	32,4	28,6	3,2	57,2	27,8	23,8	A	3,9	36000	3,0
R0 3141b	42,01	25,4	22,23	11,11	35,4	28,6	4,8	63,5	31,0	27,0	A	3,9	91000	5,2
R0 3141c	42,01	25,4	22,23	11,11	35,4	28,6	4,8	63,5	31,0	27,0	A	3,9	91000	5,2
R0 3140	44,45	25,4	25,4	12,7	37,4	41,3	5,6	64,5	31,5	27,5	A	4,72	208000	7,7
R0 3160 Ro20	50,8	31,75	28,58	14,27	45,2	47,6	6,4	77,3	36,5	35,5	A	6,5	263000	10,0
R0 2010 Ro20H	50,8	31,75	28,58	15,06	48,6	41,3	8,0	85,7	41,2	37,4	A	7,4	294000	10,9
R0 881	63,5	38,1	31,75	15,88	54,38	41,3	8,0	95,2	47,8	42,9	B	8,56	272000	11,6
R0 882	66,27	28,57	22,22	11,11	38,58	28,6	4,8	66,7	32,5	28,6	B	8,56	97000	3,4
R0 2512 Ro3b	66,27	28,57	22,22	11,11	41,6	28,6	6,4	73,0	34,9	31,8	B	4,66	118000	5,6
R0 40	77,9	39,69	41,28	19,05	59,13	57,1	9,5	104,8	52,3	46,4	B	11,24	499000	16,7
R0 1031	78,1	38,1	31,75	15,88	55,2	40,0	8,0	95,3	47,8	40,0	B	8,75	127000	10,0
R0 1032 Ro3	78,1	38,1	31,75	15,88	55,2	40,0	8,0	95,3	47,8	40,0	B	8,75	271000	10,1
R0 3H Ro3c	78,1	38,15	31,75	15,88	55,2	40,0	8,0	95,3	47,8	30,0	B	8,75	320000	10,7
R0 3125	78,1	38,1	31,75	16,46	59,5	45,0	9,5	100,0	51,3	44,7	B	9,5	340000	12,8
R0 2814 Ro3,1/2	79,37	40,75	41,27	20,32	62,0	55,0	10,0	111,0	52,0	45,0	B	11,2	520000	13,8
R0 3214 Ro4	88,9	38,1	44,45	22,22	64,01	60,0	13,0	122,2	60,7	51,8	B	14,11	635000	23,3
R0 3315 Ro4b	103,2	49,22	44,45	22,22	76,2	60,0	13,0	133,4	66,5	57,0	B	16,7	635000	23,3
R0 3618 Ro4,1/2	103,45	49,22	45,24	23,82	78,28	65,0	14,0	146,0	70,0	60,5	B	18,52	771000	27,8
R0 4020 Ro5b	114,3	50,8	57,15	27,78	81,46	75,0	14,0	141,3	72,0	62,0	B	28,55	998000	32,8
R0 4824 Ro6	127,0	68,26	63,5	31,75	102,39	90,0	16,0	168,3	86,0	67,0	B	32,5	1380000	50,5
R0 5628	152,4	74,62	76,2	38,1	155,09	100,0	19,0	184,2	97,2	87,8	B	32,13	1860000	62,0
R0 1778	177,8	82,55	88,9	44,45	127,79	130,0	22,0	222,3	144,3	101,6	B	43,51	2500000	98,3















PRIJENOSNI LANCI S PUNIM I ŠUPLJIM SVORNJAKOM DIN 8165




PRIJENOSNI LANCI S PUNIM I ŠUPLJIM SVORNJAKOM DIN 8165

	p	b ₁	d ₂	d ₁	b ₂	d ₆	d ₄	d ₅	d _{51/d6}	b ₁₁	l ₁	l ₂	g	s	g ₁	g ₂	f	Fb	Fbh	q
FV 40	40	18	15	10	24	—	20	32	—	4,0	37	44	26	3	35	22,0	2,5	44000	—	2,59
	50								40/48											2,2
	63																			2,08
	80																			2,0
	100																			1,76
FV 63	63	22	18	12	30	8	26	40	—	5,0	46	54	30	4	40	25,0	3,7	64000	46000	3,46
	80								50/60											3,1
	100																			2,92
	125																			2,67
	160																			2,45
FV 90	63	25	20	14	35	10	30	48	—	6,5	54	61	35	5	45	27,5	5,0	102000	73000	6,0
	80								63/73											5,7
	100																			4,67
	125																			4,35
	160																			3,87
	200																			3,5
	250																			3,47
FV 112	100	30	22	16	42	11	32	55	72/87	7,5	61	70	40	6	50	30,0	6,8	125000	90000	6,11
	125																			5,85
	160																			5,26
	200																			5,0
	250																			4,72
FV 140	100	35	26	18	47	12	36	60	—	9,0	69	79	45	6	60	37,5	8,6	162000	110000	7,38
	125								80/95											6,78
	160																			6,56
	200																			5,82
	250																			5,48
	315																			5,28
FV 180	125	45	30	20	61	14	42	70	—	13,0	87	97	50	8	70	45,0	12,3	213000	145000	10,7
	160								100/120											9,72
	200																			9,12
	250																			8,51
	315																			8,2
	400																			7,64
FV 250	125	55	36	26	71	18	50	80	—	15,0	99	113	60	8	80	50,0	18,7	274000	215000	14,3
	160								125/145											13,0
	200																			11,8
	250																			10,8
	315																			10,0
	400																			9,6
FV 315	160	65	42	30	85	20	60	90	—	18,0	119	134	70	10	90	55,0	25,8	385000	295000	20,04
	200								140/170											18,24
	250																			16,79
	315																			15,53
	400																			14,56
FV 400	160	70	44	32	94	22	60	100	—	20,0	130	148	70	12	90	55,0	30,7	440000	330000	24,16
	200								150/185											21,91
	250																			20,17
	315																			18,73
	400																			17,56
FV 500	160	80	50	36	104	26	70	110	—	21,0	143	161	80	12	100	60,0	38,2	596000	440000	30,04
	200								—											27,04
	250								160/195											24,65
	315																			22,68
	400																			21,06
FV 630	200	90	56	42	114	30	80	120	—	22,0	153	171	100	12	120	70,0	47,88	707000	520000	36,45
	250								170/210											32,93
	315																			30,02
	400																			27,65
	500																			25,88
FV 900	250	100	60	42	124	30	80	130	180/220	27,0	165	180	100	12	—	—	52,08	—	—	
	315																			
	400																			
	500																			
FV 1200	315	125	70	50	155	36	90	150	200/240	36,5	195	230	120	15	—	—	77,5	—	—	
	400																			
	500																			
	1000																			

**PRIMJERI NOSIVIH ELEMENATA NA LANCU
DIN 8165 I DIN 8167**



PLOČASTI LANCI DIN 8152




-LAKE IZVEDBE LL DIN 8152

BROJ LANCA	p	d ₁	d ₂	g	s	2x2			4x4			6x6		
						l ₁	Fb	q	l ₂	Fb	q	l ₃	Fb	q
	mm	mm	mm	mm	mm	mm	N	kg/m	mm	N	kg/m	mm	N	kg/m
LL 08	12,7	4,46	4,45	10,9	1,6	9,2	18200	0,4	16	36400	0,8	22,8	54600	1,2
LL 10	15,875	5,09	5,08	13,7	1,6	9,3	22700	0,5	16,1	45400	1	22,9	68100	1,5
LL 12	19,05	5,73	5,72	16,1	1,8	10,7	29500	0,7	18,5	59000	1,3	26,3	88500	2
LL 16	25,4	8,29	8,28	21,1	3	17,2	58000	1,5	30,2	116000	3	43,2	174000	4,4
LL 20	31,75	10,2	10,19	26,4	3,5	20,1	95000	2,3	35,1	190000	4,4	50,1	285000	6,6
LL 24	38,1	14,65	14,63	33,4	5	28,4	170000	4,4	49,4	340000	8,5	70,4	510000	12,5
LL 28	44,45	15,92	15,9	37,1	6	34	200000	5,4	60	400000	10,5	86	600000	15,5
LL 32	50,8	17,83	17,81	42,3	6,3	35	260000	6,2	61	520000	12,1	87	780000	18
LL 40	63,5	22,91	22,89	53	8	44,7	360000	10,3	77,9	720000	20	111,1	1080000	29,5
LL 48	76,2	29,26	29,24	63,9	10	56,1	560000	18,5	97,4	1120000	35,7	138,9	1680000	53

-TEŠKE IZVEDBE LH DIN 8152



ISO br. lanca	p mm	kombinacija spojnica	s mm	d ₁ mm	d ₂ mm	g mm	l mm	Fb N	q kg/m
LH 0822	12,7	2x2	2	5,12	5,09	12,1	11,0	22200	0,64
LH 0823		2x3					13,1	22200	0,8
LH 0834		3x4					17,4	33300	1,12
LH 0844		4x4					19,5	44400	1,28
LH 0846		4x6					23,8	44400	1,60
LH 0866		6x6					28,0	66600	1,92
LH 0888		8x8					36,4	88800	2,56
LH 1022	15,875	2x2	2,4	5,98	5,96	15,1	12,9	33400	0,88
LH 1023		2x3					15,3	33400	1,1
LH 1034		3x4					20,3	50100	1,5
LH 1044		4x4					22,7	66800	1,8
LH 1046		4x6					27,7	66800	2,2
LH 1066		6x6					32,1	100200	2,65
LH 1088		8x8					42,5	133600	3,5
LH 1222	19,05	2x2	3,2	7,96	7,94	18,1	17,3	48900	1,45
LH 1223		2x3					20,7	48900	1,8
LH 1234		3x4					27,4	73400	2,5
LH 1244		4x4					30,7	97800	2,9
LH 1246		4x6					37,4	97800	3,6
LH 1266		6x6					44,2	146800	4,3
LH 1288		8x8					57,6	195600	5,8
LH 1622	25,4	2x2	3,9	9,56	9,54	24,1	21,3	84500	2,2
LH 1623		2x3					25,4	84500	2,7
LH 1634		3x4					33,7	126800	3,8
LH 1644		4x4					37,9	169000	4,3
LH 1646		4x6					46,1	169000	5,4
LH 1666		6x6					54,4	253600	6,5
LH 1688		8x8					71,0	338000	8,6
LH 2022	31,75	2x2	4,7	11,14	11,11	30,2	25,3	115600	3,4
LH 2023		2x3					30,3	115600	4,4
LH 2034		3x4					40,2	173400	6,0
LH 2044		4x4					45,1	231200	6,9
LH 2046		4x6					55,0	231200	8,6
LH 2066		6x6					65,0	346800	10,3
LH 2088		8x8					84,8	462400	13,8
LH 2422	38,1	2x2	5,5	12,74	12,71	36,2	29,6	151200	4,6
LH 2423		2x3					35,4	151200	5,8
LH 2434		3x4					47,0	226800	8,1
LH 2444		4x4					52,8	302400	9,3
LH 2446		4x6					64,5	302400	11,6
LH 2466		6x6					76,1	453600	13,9
LH 2488		8x8					99,4	604800	18,6
LH 2822	44,5	2x2	6,3	14,31	14,29	42,2	33,5	191300	6,1
LH 2823		2x3					40,1	191300	7,6
LH 2834		3x4					53,3	287000	10,6
LH 2844		4x4					59,5	382600	12,2
LH 2846		4x6					73,1	382600	15,2
LH 2866		6x6					86,3	574000	18,2
LH 2888		8x8					112,3	765200	24,3
LH 3222	50,8	2x2	7,1	17,49	17,46	48,3	39,0	289100	8,0
LH 3223		2x3					46,5	289100	10,0
LH 3234		3x4					61,7	433700	14,0
LH 3244		4x4					69,2	578200	16,0
LH 3246		4x6					84,4	578200	20,0
LH 3266		6x6					99,5	867400	24,0
LH 3288		8x8					129,8	1156400	32,0
LH 4022	63,5	2x2	9,5	23,84	23,81	60,3	51,7	433700	15,8
LH 4023		2x3					61,7	433700	19,8
LH 4034		3x4					81,6	650600	27,7
LH 4044		4x4					91,5	867400	31,6
LH 4046		4x6					111,4	867400	39,5
LH 4066		6x6					131,3	1301200	47,2
LH 4088		8x8					171,2	1734800	63,2

ŠARNIRNA LANČANA TRAKA DIN 8153




OZNAKA LANCA	p mm	a mm max.	b ₁ mm max.	b ₂ mm min.	d ₁ mm max.	d ₂ mm max.	d ₃ mm min.	e mm max.	s mm max.	l ₁ mm	Fb N	q kg/m
4 C 8,5 S										54		2,42
4 C 9,6 S										61,5		2,56
4 C 11,2 S	25,4	42,6	20	20,1	6,38	13,13	6,4	24,58	3,35	71,3	8000	2,81
4 C 13 S										82,5		3,09
4 C 16 S										101,6		3,25
6 C 12 S										76,2		2,4
6 C 13 S										82,5		2,6
6 C 14 S										88,9		3
6 C 16 S	38,1	42,6	20	20,1	6,38	13,13	6,4	37,28	3,35	101,6	9500	3,3
6 C 24 S										152,4		4,2
6 C 30 S										190,5		5
6 C 30 D	38,1	81	13,5	13,7	6,38	13,13	6,4	37,28	3,35	190,5	14000	5,6
6 CC 13 SM	38,1	37	19	20	6,38	12,7	6,4	33	3	82,5	7500	2,3
6 CC 13 SL	38,1	37	19	20	6,38	12,7	6,4	33	3	82,5	7500	2,3

TULJČASTI LANCI DIN 8164



tip "S"




tip "L"

p mm	b_1 mm	d_2 mm	d_1 mm	b_2 mm	l_1 mm	g mm	s mm	F_b N	q kg/m
15	14	9	6	18,5	26	14	2	12500	1,2
20	16	12	8	22,5	33	19	3	25000	2,1
25	18	15	10	24,5	37	24	3	31500	2,6
30	20	17	11	28,5	43	28	4	40000	4
35	22	18	12	30,5	45	30	4	50000	4,3
40	25	20	14	35,5	53	35	5	63000	6
45	30	22	16	42,2	62	40	6	80000	8
* 50	35	26	18	47,5	67	44	6	100000	9
* 55	45	30	20	61,5	86	49	8	125000	14
* 60	50	32	22	66,5	92	55	8	160000	15
* 65	55	38	26	71,5	98	61	8	200000	19
* 70	65	42	30	85,5	117	67	10	250000	25
* 80	70	44	32	95	131	75	12	315000	31
* 90	80	50	36	105	141	85	12	400000	42
* 100	90	56	42	115	153	95	12	500000	49

* lanci sa ravnim spojnicama

LANCI SA ŠUPLJIM SVORNJACIMA PO TVORNIČKOJ NORMI



p	b ₁	d ₁	d ₈	g ₁	s ₁ /s ₂	l ₁	F _b	q
mm	mm	mm	mm	mm	mm	mm	N	kg/m
* 19,05	11,68	12,07	5,8	16,1	1,8	22	14000	
* 25,4	17,02	15,88	5,8	21	3/4	35	20000	2,52
30	14	12 (20)	5,8 (6,1)	20	3 (2,5)	30 (28)	20000	
35	14	12 (20)						
* 50	15	31	5,8	21	3	31	20000	2,8
* 50,8	10	30	8,2	26	3	27	30000	2,37
50,8	11,68	35	10,2	30	6	42	40000	4,5
38,1	15	25,4	10,2	26 (30)	4	36	40000	3,96
41,4								3,8
50	15	32	10,2	26	4	36	40000	4,1
50,8							40000	4,0
60								3,6
63,5								3,5
76,2								3,2
85								3,1
88,9								3,0
100								2,86
101,6								2,83
* 50,8	20	32	12,2	40	4/5	45	80000	6,1
76,2	19	47,6	13,9	40	4/5	43	80000	7,3
101,6								6,2
152,4								5,04
101,6	25	66,7	20,1	50	5/7	57	112000	12,7
152,4								9,8
203,2								8,7
100 PATERNOSTER	26	32	14,7	45	4	47	84000	5,1

* spojnice u obliku osmice